


AMENDMENTS TO THE CLAIMS

The following **Listing of Claims** will replace all prior versions, and listings, of claims in the application.

Listing of Claims:


1. (Original) A compound represented by the general formula:



wherein X_1 represents a nitrogen atom or a group represented by the formula $-CR_{10}=$, X_2 represents a nitrogen atom or a group represented by the formula $-CR_{11}=$, and X_1 and X_2 do not represent a nitrogen atom at the same time;


Y represents an oxygen atom, a sulfur atom, a sulfinyl group, a sulfonyl group, or a group represented by the formula $-NR_Y-$ (wherein R_Y represents a hydrogen atom or a C_{1-6} alkyl group);

R_1 represents an optionally substituted C_{1-6} alkoxy group, an optionally substituted C_{6-10} aryloxy group, a group represented by the formula $-NR_{12a}R_{12b}$, a group represented by the formula:




(wherein Y_{A1} and Y_{A2} each independently represent a group represented by the formula $-A_{10}-A_{11}-A_{12}$ (wherein A_{10} represents a single bond or an optionally substituted C_{1-6} alkylene; A_{11} represents a single bond, an oxygen atom, a carbonyl group or a sulfonyl group; and A_{12} represents a hydrogen atom, a C_{1-6} alkyl group, a C_{2-6} alkenyl group, a C_{2-6} alkynyl group, a C_{3-8} cycloalkyl group, a C_{6-10} aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula $-NR_{A10}R_{A11}$, a group represented by the formula $-OR_{A12}$ (wherein R_{A10} , R_{A11} and

R_{A12} each independently represent a hydrogen atom, a C1-6 alkyl group or C₃₋₈ cycloalkyl group) or a group represented by the formula:



(wherein e represents 1 or 2; Z represents an oxygen atom, a group represented by the formula –CR_{X7}R_{X8}– or a group represented by the formula –NR_{X9}–; R_{X7}, R_{X8} and R_{X9} each independently represent a hydrogen atom, a hydroxyl group or a C₁₋₆ alkyl group)); and Y_{A3} represents a hydrogen atom or an optionally substituted C₁₋₆ alkyl group) or a group represented by the formula:



(wherein T1 represents an optionally substituted 5- to 10- membered aromatic heterocycle which may have X in the ring or an optionally substituted 3- to 10- membered heterocycle which may have X in the ring);

R₃, R₄, R₅, R₆, R₇, R₈, R₁₀ and R₁₁ each independently represent a hydrogen atom, a halogen atom, a cyano group, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, a group represented by the formula –CO-R₁₃, a group represented by the formula –NR₁₄-CO-R₁₃, a group represented by the formula –SO₂-R₁₅, a group represented by the formula –NR₁₄-SO₂-R₁₅, or a group represented by the formula –NR_{16a}R_{16b};


R₉ represents a group represented by the formula –NR_{16a}R_{16b} or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);

R_{12a} and R_{12b} each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₃₋₆ alkenyl group, an optionally substituted C₃₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C₁₋₆ alkoxy group;

R₁₃ represents a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, an optionally substituted C₁₋₆ alkoxy group, an optionally substituted C₆₋₁₀ aryloxy group, a group represented by the formula -NR_{12a}R_{12b}, or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);


R₂ and R₁₄ each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, or a group represented by the formula —CO-R₁₃;

R₁₅ represents an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, or an optionally substituted 3- to 10- membered heterocyclic group;

R_{16a} and R_{16b} each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₃₋₆ alkenyl group, an optionally substituted C₃₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C₁₋₆ alkoxy group; and

X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula —CR_{X1}R_{X2}—, or a group represented by the formula —NR_{X3}— (wherein R_{X1}, R_{X2} and R_{X3} each independently represent a hydrogen atom or a group represented by the formula —A₁-A₂-A₃ (wherein A₁ and A₂ each independently represent a single bond, an optionally substituted C₁₋₆ alkylene group or a carbonyl group; and A₃ represents a hydrogen atom, a C₃₋₈ cycloalkyl group, a group represented by the formula -NR_{A1}R_{A2}, or the formula -OR_{A3} (wherein, R_{A1}, R_{A2} and R_{A3} each independently represent a hydrogen atom or a C₁₋₆ alkyl


group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2)),

a salt thereof, or a hydrate of the foregoing.


2. (Previously presented) A compound represented by the general formula:



wherein X_1 represents a nitrogen atom or a group represented by the formula $-CR_{10}=$, X_2 represents a nitrogen atom or a group represented by the formula $-CR_{11}=$, and X_1 and X_2 do not represent a nitrogen atom at the same time;


Y represents an oxygen atom, a sulfur atom, a sulfinyl group, a sulfonyl group, or a group represented by the formula $-NR_Y-$ (wherein R_Y represents a hydrogen atom or a C_{1-6} alkyl group);

R_1 represents an optionally substituted C_{1-6} alkoxy group, an optionally substituted C_{6-10} aryloxy group, a group represented by the formula $-NR_{12a}R_{12b}$, a group represented by the formula:




(wherein Y_{A1} and Y_{A2} each independently represent a group represented by the formula $-A_{10}-A_{11}-A_{12}$ (wherein A_{10} represents a single bond or an optionally substituted C_{1-6} alkylene; A_{11} represents a single bond, an oxygen atom, a carbonyl group or a sulfonyl group; and A_{12} represents a hydrogen atom, a C_{1-6} alkyl group, a C_{2-6} alkenyl group, a C_{2-6} alkynyl group, a C_{3-8} cycloalkyl group, a C_{6-10} aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula $-NR_{A10}R_{A11}$, a group represented by the formula $-OR_{A12}$ (wherein R_{A10} , R_{A11} and R_{A12} each independently represent a hydrogen atom, a C_{1-6} alkyl group or C_{3-8} cycloalkyl group)

or a group represented by the formula:




(wherein e represents 1 or 2; Z represents an oxygen atom, a group represented by the formula $-\text{CR}_{\text{X}7}\text{R}_{\text{X}8}-$ or a group represented by the formula $-\text{NR}_{\text{X}9}-$; $\text{R}_{\text{X}7}$, $\text{R}_{\text{X}8}$ and $\text{R}_{\text{X}9}$ each independently represent a hydrogen atom, a hydroxyl group or a C_{1-6} alkyl group)); and $\text{Y}_{\text{A}3}$ represents a hydrogen atom or an optionally substituted C_{1-6} alkyl group) or a group represented by the formula:



(wherein T1 represents an optionally substituted 5- to 10- membered aromatic heterocycle which may have X in the ring or an optionally substituted 3- to 10- membered heterocycle which may have X in the ring);

R_3 , R_4 , R_5 , R_6 , R_7 , R_8 , R_{10} and R_{11} each independently represent a hydrogen atom, a halogen atom, a cyano group, an optionally substituted C_{1-6} alkyl group, an optionally substituted C_{2-6} alkenyl group, an optionally substituted C_{2-6} alkynyl group, an optionally substituted C_{3-8} cycloalkyl group, a group represented by the formula $-\text{CO}-\text{R}_{13}$, a group represented by the formula $-\text{NR}_{14}-\text{CO}-\text{R}_{13}$, a group represented by the formula $-\text{SO}_2-\text{R}_{15}$, a group represented by the formula $-\text{NR}_{14}-\text{SO}_2-\text{R}_{15}$, or a group represented by the formula $-\text{NR}_{16a}\text{R}_{16b}$;

R_9 represents a group represented by the formula $-\text{NR}_{16a}\text{R}_{16b}$ or a group represented by the formula:




(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);

R_{12a} and R_{12b} each independently represent a hydrogen atom, an optionally substituted C_{1-6} alkyl group, an optionally substituted C_{3-6} alkenyl group, an optionally substituted C_{3-6} alkynyl group, an optionally substituted C_{3-8} cycloalkyl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C_{1-6} alkoxy group;

R_{13} represents a hydrogen atom, an optionally substituted C_{1-6} alkyl group, an optionally

substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, an optionally substituted C₁₋₆ alkoxy group, an optionally substituted C₆₋₁₀ aryloxy group, a group represented by the formula -NR_{12a}R_{12b}, or a group represented by the formula:




(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);

R₂ and R₁₄ each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, or a group represented by the formula —CO-R₁₃;

R₁₅ represents an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, or an optionally substituted 3- to 10- membered heterocyclic group;

R_{16a} and R_{16b} each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₃₋₆ alkenyl group, an optionally substituted C₃₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C₁₋₆ alkoxy group; and

X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula —CR_{X1}R_{X2}-, or a group represented by the formula —NR_{X3}- (wherein R_{X1}, R_{X2} and R_{X3} each independently represent a hydrogen atom or a group represented by the formula —A₁-A₂-A₃ (wherein A₁ and A₂ each independently represent a single bond, an optionally substituted C₁₋₆ alkylene group or a carbonyl group; and A₃ represents a hydrogen atom, a C₃₋₈ cycloalkyl group, a group represented by the formula -NR_{A1}R_{A2}, or the formula -OR_{A3} (wherein, R_{A1}, R_{A2} and R_{A3} each independently represent a hydrogen atom or a C₁₋₆ alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2))),

a salt thereof, or a hydrate of the foregoing.

3. (Original) A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom, a group represented by the formula -NH- , or a group represented by the formula $\text{-N(CH}_3\text{)-}$.

4. (Original) A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom.

5. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein one of X_1 and X_2 represents a group represented by the formula -CH= and the other represents a nitrogen atom.

6. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein both X_1 and X_2 represent a group represented by the formula -CH= .


7. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_3 , R_4 , R_5 , R_6 and R_8 each represent a hydrogen atom, and R_7 represents a hydrogen atom, a halogen atom or an optionally substituted C_{1-6} alkyl group.

8. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_9 represents a group represented by the formula -NHR_{17} (wherein R_{17} represents an optionally substituted C_{1-6} alkyl group, a C_{3-6} alkynyl group, a C_{3-8} cycloalkyl group, an optionally substituted C_{6-10} aryl group or an optionally substituted 5- to 10-membered heteroaryl group).


9. (Previously presented) A compound according to claims 1 or 2, a salt of the compound,

or a hydrate of the foregoing, wherein R₉ represents a group represented by the formula –NR_{18a}R_{18b} (wherein R_{18a} and R_{18b} each independently represent a C₁₋₆ alkyl group).

10. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₉ represents a group represented by the formula:



(wherein b₁ represents 1 or 2; X represents the an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula –CR_{X1}R_{X2}–, or a group represented by the formula –NR_{X3}– (wherein R_{X1}, R_{X2} and R_{X3} each independently represent a hydrogen atom or a group represented by the formula –A₁-A₂-A₃ (wherein A₁ and A₂ each independently represent a single bond, an optionally substituted C₁₋₆ alkylene group or a carbonyl group; and A₃ represents a hydrogen atom, a C₃₋₈ cycloalkyl group, a group represented by the formula –NR_{A1}R_{A2}, or the formula –OR_{A3} (wherein, R_{A1}, R_{A2} and R_{A3} each independently represent a hydrogen atom or a C₁₋₆ alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2))).

11. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₉ represents a group represented by the formula –NHR₁₉ (wherein R₁₉ represents a C₁₋₆ alkyl group, a C₃₋₆ alkynyl group, a C₃₋₈ cycloalkyl group or a C₆₋₁₀ aryl group).


12. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₃, R₄, R₅, R₆, R₇ and R₈ each represent a hydrogen atom.

13. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₂ represents a hydrogen atom.


14. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_9 represents a group represented by the formula $-NHR_{20}$ (wherein R_{20} represents a methyl group, an ethyl group or a cyclopropyl group).

15. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_9 represents a group represented by the formula $-NH(CH_3)$.

16. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a further optionally substituted group represented by the formula:




(wherein b_2 represents 0, 1 or 2; and X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula $-CR_{X1}R_{X2}-$, or a group represented by the formula $-NR_{X3}-$ (wherein R_{X1} , R_{X2} and R_{X3} each independently represent a hydrogen atom or a group represented by the formula $-A_1-A_2-A_3$ (wherein A_1 and A_2 each independently represent a single bond, an optionally substituted C_{1-6} alkylene group or a carbonyl group; and A_3 represents a hydrogen atom, a C_{3-8} cycloalkyl group, a group represented by the formula $-NR_{A1}R_{A2}$, or the formula $-OR_{A3}$ (wherein, R_{A1} , R_{A2} and R_{A3} each independently represent a hydrogen atom or a C_{1-6} alkyl group), or an optionally substituted group represented by the formula:




(wherein a represents 1 or 2))).

17. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formula:



(wherein X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group,


a group represented by the formula $-\text{CR}_{\text{X1}}\text{R}_{\text{X2}}-$, or a group represented by the formula $-\text{NR}_{\text{X3}}-$ (wherein R_{X1} , R_{X2} and R_{X3} each independently represent a hydrogen atom or a group represented by the formula $-\text{A}_1-\text{A}_2-\text{A}_3$ (wherein A_1 and A_2 each independently represent a single bond, an optionally substituted C_{1-6} alkylene group or a carbonyl group; and A_3 represents a hydrogen atom, a C_{3-8} cycloalkyl group, a group represented by the formula $-\text{NR}_{\text{A1}}\text{R}_{\text{A2}}$, or the formula $-\text{OR}_{\text{A3}}$ (wherein, R_{A1} , R_{A2} and R_{A3} each independently represent a hydrogen atom or a C_{1-6} alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2)).


18. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents an oxygen atom.

19. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein R_{X4} represents a hydrogen atom or a group represented by the formula $-\text{A}_4-\text{A}_5-\text{A}_6$ (wherein A_4 and A_5 each independently represent a single bond, an optionally substituted C_{1-6} alkylene or a carbonyl group; and A_6 represents a hydrogen atom, a C_{3-8} cycloalkyl group or a group represented by the formula $-\text{NR}_{\text{A4}}\text{R}_{\text{A5}}$ or the formula $-\text{OR}_{\text{A6}}$ (wherein R_{A4} , R_{A5} and R_{A6} each independently represent a hydrogen atom or a C_{1-6} alkyl group))).

20. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:



(wherein R_{X5} and R_{X6} each independently represent a hydrogen atom or a group represented by the formula $-\text{A}_7-\text{A}_8-\text{A}_9$ (wherein A_7 and A_8 each independently represent a single bond, an optionally substituted C_{1-6} alkylene group or a carbonyl group; and A_9 represents a


hydrogen atom, a C₃₋₈ cycloalkyl group, a group represented by the formula -NR_{A7}R_{A8}, or the formula -OR_{A9} (wherein R_{A7}, R_{A8}, and R_{A9} each independently represent a hydrogen atom or a C₁₋₆ alkyl group), or a group represented by the formula:



(wherein c₁ represents 0, 1 or 2))).


21. (Original) A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of R_{X5} and R_{X6} in the formula (VI) represents a hydroxyl group and the other represents a hydrogen atom or a C₁₋₆ alkyl group.

22. (Original) A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of R_{X5} or R_{X6} in the formula (VI) represents a hydrogen atom and the other represents a group represented by the formula:




(wherein c₂ represents 1 or 2).

23. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₁ represents a group represented by the formula:




(wherein R_{X51} and R_{X61} each independently represent a hydrogen atom or a group represented by the formula -A₇₁-A₈₁-A₉₁ (wherein A₇₁ and A₈₁ each independently represent a single bond, an optionally substituted C₁₋₆ alkylene group or a carbonyl group; and A₉₁ represents a hydrogen atom, a C₃₋₈ cycloalkyl group, a group represented by the formula -NR_{A71}R_{A81}, or the formula -OR_{A91} (wherein R_{A71}, R_{A81}, and R_{A91} each independently represent a hydrogen atom or a C₁₋₆ alkyl group), or a group represented by the formula:




(wherein c₁₁ represents 0, 1 or 2))).

24. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formula:




(wherein Y_{A1} and Y_{A2} each independently represent a group represented by the formula $-A_{10}-A_{11}-A_{12}$ (wherein A_{10} represents a single bond or an optionally substituted C_{1-6} alkylene group; A_{11} represents a single bond, an oxygen atom, a carbonyl group, or a sulfonyl group; and A_{12} represents a hydrogen atom, a C_{1-6} alkyl group, a C_{2-6} alkenyl group, a C_{2-6} alkynyl group, a C_{3-8} cycloalkyl group, a C_{6-10} aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula $-NR_{A10}R_{A11}$, or the formula $-OR_{A12}$ (wherein, R_{A10} , R_{A11} and R_{A12} each independently represent a hydrogen atom, a C_{1-6} alkyl group or a C_{3-8} cycloalkyl group), or a group represented by the formula:



(wherein e represents 1 or 2; and Z represents an oxygen atom or a group represented by the formula $-CR_{X7}R_{X8}-$ or the formula $-NR_{X9}-$ (wherein R_{X7} , R_{X8} and R_{X9} each independently represent a hydrogen atom, a hydroxyl group or a C_{1-6} alkyl group))); and Y_{A3} represents a hydrogen atom or an optionally substituted C_{1-6} alkyl group).


25. (Previously presented) A compound according to claim 24, a salt of the compound, or a hydrate of the foregoing, wherein one of Y_{A1} and Y_{A2} in the formula (VIII) represents a hydrogen atom and the other represents a group represented by the formula $-(CH_2)_2-A_{13}-A_{14}$ (wherein A_{13} represents a single bond, a carbonyl group or a sulfonyl group; and A_{14} represents a C_{1-6} alkyl group, a group represented by the formula $-NR_{A13}R_{A14}$ (wherein R_{A13} and R_{A14} each independently represent a hydrogen atom, a C_{1-6} alkyl group or a C_{3-8} cycloalkyl group), or a group represented by the formula:



(wherein e represents 1 or 2; and Z represents an oxygen atom or a group represented by


the formula $-CR_{X7}R_{X8}-$ or the formula $-NR_{X9}-$ (wherein R_{X7} , R_{X8} and R_{X9} each independently represent a hydrogen atom, a hydroxyl group or a C_{1-6} alkyl group)); and Y_{A3} in the formula (VIII) represents a hydrogen atom.

26. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formulas:




(each of the foregoing members being optionally substituted with a group selected from Substituent Group Alpha,

wherein Substituent Group Alpha is a group consisting of a halogen atom, a hydroxyl group, a thiol group, a nitro group, a cyano group, a carboxyl group, an amino group, a C_{1-6} alkyl group, a C_{3-8} cycloalkyl group, and a group represented by the formulas:




(wherein R_{N1} and R_{N2} each independently represent a hydrogen atom or a C_{1-6} alkyl group)).


27. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formulas:




28. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formulas:




29. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formulas:



30. (Original) A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein the compound is represented by the general formula:




(wherein R_1 represents a group represented by the formulas:



(each of the foregoing members being optionally substituted with a group selected from Substituent Group Beta,

wherein Substituent Group Beta is a group consisting of a hydroxyl group, a C_{1-6} alkyl group, a C_{3-8} cycloalkyl group, and a group represented by the formulas:



(wherein R_{N1} and R_{N2} each independently represent a hydrogen atom or a C_{1-6} alkyl group)); and R_9 represents a group represented by the formula $-NHR_{20}$ (wherein R_{20} represents a methyl group, an ethyl group or a cyclopropyl group)).

31. (Original) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

- (1) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyrimidyl)oxy-1H-indolecarboxamide;
- (2) 5-(6-(3-(3-diethylaminopropylamino)ureido)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (3) 5-(6-(((4-hydroxypiperidin-1-yl)carbonyl)amino)-pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (4) 5-(6-((4-pyrrolidin-1-yl)piperidin-1-yl)carbonylamino)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (5) 5-(2-(3-((1R)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (6) 5-(2-(3-((1S)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (7) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (8) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (9) 5-(2-(3-((1S)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (10) 5-(2-(3-((1S)-1-carbamoyl-3-methylbutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

- (11) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (12) 5-(2-(3-cyclopropylcarbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (13) 5-(2-(3-((1S)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (14) 5-(2-(3-((1R)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (15) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)-1,5-pentanedicarboxylic acid diamide;
- (16) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)succinamide;
- (17) 5-(2-(3-((1S)-1-cyclopropylcarbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (18) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (19) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (20) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (21) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (22) 5-(2-(3-((1S)-1-hydroxymethyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (23) 5-(2-(3-((1S)-1-hydroxymethyl-2-(morpholin-4-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (24) 5-(2-(3-(2-cyclopropylcarbamoyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (25) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (26) 5-(2-(3-(3-(4-hydroxy-4-methylpiperidin-1-yl)-3-oxopropyl)ureido)pyridin-4-

- yloxy)-1H-indole-1-carboxylic acid methylamide;
- (27) N1-ethyl-5-(2-(((2-ethoxyethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (28) N1-methyl-5-(2-((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (29) N1-methyl-5-(2-((3-(diethylamino)propylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (30) N1-methyl-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (31) N1-methyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (32) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (33) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (34) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (35) 5-(2-(3-(3-(diethylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (36) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (37) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (38) N1-methyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (39) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (40) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (41) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

- (42) N1-methyl-5-(2-((4-(1-hydroxy-1-methylethyl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (43) 5-(2-(((4-(3-methylcarbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (44) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (45) 5-(2-((4-((pyrrolidin-1-yl)carbonyl)piperidin-1-yl)carbonylamino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (46) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (47) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (48) N1-methyl-5-(2-((4-ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (49) N1-methyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (50) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (51) N1-methyl-5-(2-((4-(2-dimethylaminoacetyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (52) N1-methyl-5-(2-((4-cyclohexylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (53) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (54) N1-methyl-5-(2-((1,1-dioxothiomorpholin-4-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (55) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (56) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (57) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-

- yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (58) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (59) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (60) N1-ethyl-5-(2-(((1-methyl-4-piperidyl)methyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (61) N1-ethyl-5-(2-(((2-diethylamino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (62) N1-ethyl-5-(2-(((2-(morpholin-4-yl)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (63) N1-ethyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (64) N1-methyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (65) N1-ethyl-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (66) N1-ethyl-5-(2-(((3-(morpholin-4-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (67) N1-ethyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (68) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (69) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (70) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (71) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (72) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;

- (73) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (74) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (75) N1-phenyl-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (76) N1-phenyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (77) N1-ethyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (78) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (79) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (80) N1-ethyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (81) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;
- (82) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;
- (83) N1-ethyl-5-(2-((1,1-dioxothiomorpholin-4-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (84) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (85) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (86) N1-cyclopropyl-5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (87) N4-(4-(1-(cyclopropylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (88) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-

- indolecarboxamide;
- (89) N1-cyclopropyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (90) N4-(4-(1-(cyclopentylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (91) 5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopentylamide;
- (92) N1-cyclopentyl-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (93) N1-(3-methylbutyl)-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (94) N1-(3-methylbutyl)-5-(2-((4-(hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (95) N4-(4-(1-((3-methylbutyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (96) N1-(1-ethylpropyl)-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (97) N1-(1-ethylpropyl)-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (98) N4-(4-(1-((1-ethylpropyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (99) N4-(4-(1-((1-pentyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (100) N1-(1-pentyl)-5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (101) N1-(1-pentyl)-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (102) N1-methyl-3-chloro-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (103) N1-methyl-3-chloro-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (104) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (105) N1-methyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (106) N1-methyl-3-chloro-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (107) N4-(4-(3-chloro-1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (108) N1-methyl-3-chloro-5-(2-((4-(ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (109) N1-ethyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (110) N1-ethyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (111) N1-ethyl-3-chloro-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (112) N1,3-dimethyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (113) N1,3-dimethyl-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (114) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;
- (115) N1-cyclopropyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;
- (116) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (117) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (118) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-

- indolecarboxamide;
- (119) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (120) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (121) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (122) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (123) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (124) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (125) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (126) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

32. (Original) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

- (1) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (2) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (3) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (4) N1-methyl-5-(2-(((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (5) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (6) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-

- carboxylic acid methylamide;
- (7) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (8) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (9) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (10) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (11) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (12) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (13) 5-(2-(((4-(3-methylcarbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (14) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (15) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
 - (16) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
 - (17) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
 - (18) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
 - (19) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
 - (20) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
 - (21) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (22) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;
- (23) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;
- (24) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (25) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (26) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (27) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (28) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (29) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (30) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (31) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (32) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (33) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (34) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (35) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (36) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

33. (Original) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

- (1) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (2) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (3) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (4) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (5) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide.

34. (Previously presented) A pharmaceutical composition comprising a compound according to claims 1 or 2 and a pharmaceutical adjuvant.

35. (Previously presented) A prophylactic or therapeutic agent for a disease for which angiogenesis inhibition is effective, comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

36. (Previously presented) An angiogenesis inhibitor comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

37. (Previously presented) An antitumor agent comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

38. (Original) An antitumor agent according to claim 37, wherein the tumor is a pancreatic cancer, a gastric cancer, a colon cancer, a breast cancer, a prostate cancer, a lung cancer, a renal cancer, a brain tumor, a blood cancer or an ovarian cancer.

39. (Previously presented) A therapeutic agent for hemangioma comprising as an active

ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

40. (Previously presented) A cancer metastasis inhibitor comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

41. (Previously presented) A therapeutic agent for retinal neovascularization or diabetic retinopathy comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

42. (Previously presented) A therapeutic agent for an inflammatory disease comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

43. (Original) A therapeutic agent for an inflammatory disease according to claim 42, wherein the inflammatory disease is deformant arthritis, rheumatoid arthritis, psoriasis or delayed hypersensitivity reaction.

44. (Previously presented) A therapeutic agent for atherosclerosis comprising as an active ingredient, a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

45. (Withdrawn) A prophylactic or therapeutic method for treating a disease for which angiogenesis inhibition is effective, comprising administering to a patient, a pharmacologically effective dose of a compound according to claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

46. (Cancelled).

47. (Withdrawn) A method of inhibiting angiogenesis in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.

48. (Withdrawn) A method of treating cancer in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.
49. (Withdrawn) The method of Claim 48, wherein the cancer is a pancreatic cancer, a gastric cancer, a colon cancer, a breast cancer, a prostate cancer, a lung cancer, a renal cancer, a brain tumor, a blood cancer or an ovarian cancer.
50. (Withdrawn) A method of treating or preventing hemangioma in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.
51. (Withdrawn) A method of treating or preventing an inflammatory disease in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.
52. (Withdrawn) The method of Claim 51, wherein the inflammatory disease is deformant arthritis, rheumatoid arthritis, psoriasis or delayed hypersensitivity reaction.
53. (Withdrawn) A method of treating or preventing atherosclerosis in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.